

RNS / RN

Rugged and Dependable

These are the workhorses of the industry—rugged rear-load machines.

The **RN** has a baked enamel carbon steel cabinet, and the **RNS** (shown below) has an all-stainless steel cabinet which includes a wrap-around anti-pry door designed for additional security. Each is equipped with Hamilton's exclusive bulk load hopper. Built for direct payout reliability, the hopper is so durable, even bent coins should not interfere with delivery. The bulk load hopper also dispenses .984 and .901 tokens, with the ability to convert to other sizes with only minor modifications.

Changes/Pays

\$1, \$5, \$10, \$20 to QTRS

Maximum Capacity

\$1200 QTRS

Dimensions: U.S. & Metric

Cabinet & Minimum Wall Opening:

RNS - 34-1/2"H, 9"W, 13"D

RN - 89.6 cm H x 22.9 cm W x 33 cm D

RN - 34-7/8"H, 9-1/4"W, 13-1/6"D

RN - 88.6 cm H x 23.5 cm W x 33.3 cm D

Faceplate: 38-1/2"H, 12"W

97.8 cm H x 30.5 cm W

Features

- Bill Stacker
- RN - 7 gauge carbon steel
- RNS - 11 gauge stainless steel
- Heater and Weathershield (no extra cost)
- Two heavy duty MEDECO plug locks
- Power: 115 VAC 60 Hz
- Weight: 150 lbs./68K

Options

- Separating Stacker
- Token face panel (no extra cost)
- Audit Pro 2000
(Portable Thermal Report Printer)



DRS

Dual Rear-Load Changer

Many car wash owners are installing two changers in their operations to insure back-up service.

Hamilton has created the Model **DRS** rear-load changer—actually two separate changers in one all-stainless steel cabinet.

The **DRS** comes fully-equipped, in one unit, with two identical sets of the components used in all Hamilton changers. For those with high volume locations, the **DRS** comes with two high-capacity bulk load hoppers, which have a quarter capacity of \$1200 each. That's a total of \$2400 in ONE cabinet. Although it's not necessary to fill the machine to capacity, the volume is there when you need it. The **DRS** also features the stainless steel wrap-around anti-pry door identical to the RNS.

Changes/Pays

\$1, \$5, \$10, \$20 to QTRS

Maximum Capacity

\$2400 QTRS

Dimensions: U.S. & Metric

Cabinet & Minimum Wall Opening:

34-3/4"H, 18-3/16"W, 14-7/16"D

88.3 cm H x 46.4 cm W x 36.8 cm D

Faceplate: 38-5/16"H, 21-5/8"W

97.3 cm H x 54.9 cm W

Features

- Bill Stacker
- 11 gauge stainless steel
- Heater and Weathershield (no extra cost)
- Two heavy duty MEDECO plug locks
- Power: 115 VAC 60 Hz
- Weight: 230 lbs./104K

Options

- Separating Stacker
- Token face panel (no extra cost)
- Audit Pro 2000
(Portable Thermal Report Printer)



ER-20

Our Small Capacity Hopper Model

The **ER-20** is our smallest capacity hopper model. This rear load machine is equipped with Hamilton's \$1/\$5 validator and a bulk load hopper (\$200 quarter capacity). The **ER-20** has the same dependability and security features as the entire Hamilton line.

Changes/Pays

\$1, \$5 to QTRS

Maximum Capacity

\$200 QTRS

Dimensions: U.S. & Metric

Cabinet & Minimum Wall Opening:

25-1/2"H, 12-1/2"W, 13"D

64.8 cm H x 31.8 cm W x 33 cm D

Faceplate: 29-1/2"H, 16-5/8"W

74.9 cm H x 42.3 cm W

Features

- 7 gauge carbon steel body, stainless steel front
- Heater and Weathershield (no extra cost)
- Two heavy duty MEDECO plug locks
- Power: 115 VAC 60 Hz
- Weight: 130 lbs./59K

Options

- Bill Stacker



HSC-3-Console

Free Standing - Front-Load, Versatile Capacity, Security Cabinet

Heavy duty high security console cabinet with three quarter hoppers for very high capacity (\$3600) or nickel, dime and quarter hoppers...with the ability to build up or break down change to its most spendable form. Available also in token unit with a capacity of 14,400-.984 size token payout.

Changes/Pays

\$1, \$5, \$10, \$20 to QTRS

Maximum Capacity

Up to \$3600 QTR Capacity

Dimensions: U.S. & Metric

Unit: 60-1/2"H, 20"W, 12-7/8"D


153.6 cm H x 50.8 cm W x 32.7 cm D

Features

- Bill Stacker
- 7 gauge carbon steel
- Two heavy duty MEDECO plug locks
- Coin Acceptor
- Power: 115 VAC 60 Hz
- Weight: 360 lbs./163K

Options

- Separating Stacker
- Token face panel (no extra cost)
- Available without coin mech.
- Audit Pro 2000
(Portable Thermal Report Printer)



HS-2 / HS-3

Versatile Front-Load Changers

Front-load security style cabinets, with versatile capacity.

HS-2.

Two hopper versatility! Two quarter hoppers for high capacity (\$2400), quarter and dime hopper (\$2120), or quarter and nickel hopper (\$1475).

HS-3.

Three hopper versatility! Three quarter hoppers for very high capacity (\$3600). Or, nickel, dime and quarter hoppers...with the ability to build up or break down change to its most spendable form.

Changes/Pays

\$1, \$5, \$10, \$20 to QTRS

Maximum Capacity

Up to \$3600 QTR Capacity

Dimensions: U.S. & Metric

Cabinet: 41-3/8"H, 20"W, 12-7/8"D

105 cm H x 50.8 cm W x 32.7 cm D

Features

- Bill Stacker
- 7 gauge carbon steel
- Two heavy duty MEDECO plug locks
- Power: 115 VAC 60 Hz
- Weight: 280 lbs./127K

Options

- Separating Stacker
- Token face panel (no extra cost)
- Console Base
- Available with coin mech.
- Audit Pro 2000
(Portable Thermal Report Printer)



H-1 / SS-1

Heavy Duty Front-Load Changers

The **H-1** features a rugged carbon steel cabinet, the **SS-1** (shown below) as the extra security of an all stainless steel cabinet.

Both are single hopper machines, and utilize the Hamilton high-capacity pivot-out stainless steel hopper designed for easy emptying and refilling. Wall mounted, or free standing on optional console base.

Changes/Pays

\$1, \$5, \$10, \$20 to QTRS

Maximum Capacity

\$1200 QTRS

Dimensions: U.S. & Metric

Cabinet: H-1: 25-1/8"H, 17-1/4"W, 12-3/4"D

H-1: 63.82 cm H x 43.8 cm W x 32.3 cm D

SS-1: 25"H, 17-1/4"W, 12-3/4"D

SS-1: 63.82 cm H x 43.8 cm W x 32.3 cm D

Features

- Bill Stacker
- H-1—7 gauge carbon steel
- SS-1—11 gauge stainless steel
- Two heavy duty MEDECO plug locks
- Power: 115 VAC 60 Hz
- Weight: H-1—160 lbs./73K
SS-1—130 lbs./59K

Options

- Separating Stacker
- Token face panel (no extra cost)
- Console Base
- Audit Pro 2000
(Portable Thermal Report Printer)



RNS / RN

Rear-Load Changers

Dispense Quarters or Tokens

Hamilton **RN** and **RNS** (shown below) models are rugged workhorses that incorporate the latest innovations in validators and bulk load hoppers.

The **RN** has a baked enamel finish on a carbon steel cabinet, and the **RNS** has an all stainless steel cabinet which includes the additional security of a wrap around anti-pry door.

Both changers benefit from the Hamilton high-capacity pivot-out stainless steel hopper, designed for easy emptying and refilling.

Changes/Pays

\$1, \$5, \$10, \$20 to QTRS

Maximum Capacity

\$1200 QTRS

Dimensions: U.S. & Metric

Cabinet & Minimum Wall Opening:

RNS—34-1/2"H, 9"W, 13"D

RN—87.6 cm H x 22.9 cm W x 33 cm D

RN—34-7/8"H, 9-1/4"W, 13-1/8"D

RN—88.6 cm H x 23.5 cm W x 33.3 cm D

Faceplate: 38-1/2"H, 12"W

97.8 cm H x 30.5 cm W

Features

- Bill Stacker
- RN - 7 gauge carbon steel
- RNS - 11 gauge stainless steel
- Two heavy duty MEDECO plug locks
- Power: 115 VAC 60 Hz
- Weight: 150 lbs./68K

Options

- Separating Stacker
- Token face panel (no extra cost)
- Audit Pro 2000
(Portable Thermal Report Printer)



RL-2 / RL-3

Versatile Rear-Load Changers

The same capacities and functions as the front-load Hamilton HSC Series...with rear load security, plus stainless steel faceplates.

RL-2.

Two hopper versatility! Two quarter hoppers for high capacity (\$2400), quarter and dime hopper (\$2120), or quarter and nickel hopper (\$1470).

RL-3.

Three hopper versatility! Three quarter hoppers for very high capacity (\$3600). Or, nickel, dime and quarter hoppers...with the ability to build up or break down change to its most spendable form.

Changes/Pays

\$1, \$5, \$10, \$20 to QTRS

Maximum Capacity

Up to \$2400 QTRS

Dimensions: U.S. & Metric

Cabinet & Minimum Wall Opening:

34-7/8"H, 18-1/4"W, 14-1/2"D

88.6 cm H x 46.4 cm W x 36.8 cm D

Faceplate: 38-3/8"H x 21-3/4"W

97.5 cm H x 55.3 cm W

Features

- Bill Stacker
- 7 gauge carbon steel cabinet, stainless steel front
- Two heavy duty MEDECO plug locks
- Power: 115 VAC 60 Hz
- Weight: 250 lbs./113K

Options

- Separating Stacker
- Token face panel (no extra cost)
- Available with coin mech.
- Audit Pro 2000
(Portable Thermal Report Printer)



ER-60

Economy Rear-Load Changer

Specifically designed for lower volume locations, the **ER-60** features the same rugged dependability as the entire Hamilton changer line.

Changes/Pays

\$1, \$5, \$10, \$20 to QTRS

Maximum Capacity

\$600 QTRS

Dimensions: U.S. & Metric

Cabinet & Minimum Wall Opening:

20-3/4"H, 15"W, 13"D

52.71 cm H x 38.10 cm W x 33.02 cm D

Faceplate: 24-3/4"H x 18"W

62.87 cm H x 45.72 cm W

Features

- Bulk Load Hopper
- Bill Stacker
- 7 gauge carbon steel cabinet, stainless steel front
- Two heavy duty MEDECO plug locks
- Power: 115 VAC 60 Hz
- Weight: 135 lbs./61Kg

Options

- Separating Stacker
- Token face panel (no extra cost)
- Audit Pro 2000
(Portable Thermal Report Printer)



VN-1 / V-2

One and Two Hopper Slim Line Changers

Housed in lighter weight vending style cabinets, the **VN-1** is a single hopper design. The **V-2** has two hoppers for payout versatility: two quarter hoppers for high capacity (\$2400), quarter and dime hopper (\$2120), or quarter and nickel hopper (\$1475).

Versatile mounting includes: Wall mounted, free standing with optional console base, or banked with optional base and header kits (72").

Changes/Pays

\$1, \$5, \$10, \$20 to QTRS

Maximum Capacity

\$1200/\$2400 QTRS, \$1200 QTRS/\$920 Dimes, \$1200 QTRS/\$275 Nickels

Dimensions: U.S. & Metric

Cabinet & Minimum Wall Opening:

VN—36-3/8"H, 9-15/16"W, 13-1/4"D

92.4 cm H x 25.4 cm W x 33.6 cm D

V2—41-15/16"H, 15-1/2"W, 13-1/16"D

106 cm H x 39.4 cm W x 33.3 cm D

Features

- Bill Stacker
- 12 gauge steel
- Removable metal faceplate in matte black finish
- 3-point locking system
- Power: 115 VAC 60 Hz
- Weight: 115 lbs./185 lbs./52K/84K

Options

- Separating Stacker
- Tokenote® Validator
- Token face panel (no extra cost)
- Console Base
- Header and base kits for in-line banking with vending machines
- Coin Acceptor (VC-2 only)
- Audit Pro 2000 (Portable Thermal Report Printer)



EV-H

Small Size - Bulk Load Hopper

Small enough to mount on a table top, to the side of a vending machine, on the wall...or in-line with header and base.

Can be shipped by parcel service.

Changes/Pays

\$1, \$5, \$10, \$20 to QTRS

Maximum Capacity

\$400 QTRS

Dimensions: U.S. Only

Cabinet: 21"H, 8"W, 12-3/4"D

Features

- Bill Stacker
- Power: 115 VAC 60 Hz
- Weight: 50 lbs.

Options

- Header and Base kits for in-line banking with vending machines
- No token capabilities

* Similar model available for Canadian currency.



SV-1/SV-2

Versatile Vending Changers

The **SV-1** is a single hopper model (\$1200) and can be upgraded with a second hopper as your business increases. Choosing the **SV-2**, two hopper model, gives you payout versatility. Two quarter hoppers (\$2400), quarter and dime hoppers (\$2120), or quarter and nickel hoppers (\$1475). Both models can be easily upgraded at the location with the options below.

Changes/Pays

\$1, \$5, \$10, \$20 to QTRS

Maximum Capacity

SV-1: \$1200 QTRS SV-2:\$2400 QTRS

Dimensions: U.S. & Metric

72"H x 11-7/8"W x 13-1/8"D

182.88 cm x 30.16 cm x 33.33 cm

Features

- 1 or 2 Hoppers for Payout Versatility
- Includes Base
- Bill Stacker
- T-Handle Lock (6 point locking system)
- 12 gauge steel cabinet
- Power: 115 VAC 60 Hz
- Weight: 160 lbs./72 Kg

Options

- Separating Stacker
- Tokenote® Validator
- Token face panel
- Coin Acceptor
- Audit Pro 2000 (Portable Thermal Report Printer)



OPTIONS

Hamilton offers a full range of changer mounting choices:
from wall mount to optional header and base for 72" in-line banking

Header and Base Kit

For In-Line Banking:
VN-1, EV-H



Base Kit

For In-Line Banking: V-2



Console Base

Free Standing Front-Load



- Refer to "options" under specific models for availability
- Color options: Gray Suede, Black

Audit Pro 2000



Owners of Hamilton changers can now have audit data at their fingertips with the optional Audit Pro 2000. All coin, bill and Tokenote® payout transactions are displayed on the Audit Pro 2000 LCD screen. The hand held unit allows control of the payout from each hopper for any coin or bill input. Portable Report Printer available for printed audit reports.

Separating Stacker



The Hamilton 1200 Separating Bill Stacker holds up to 1200 bills and separates \$1 bills from \$5, \$10, \$20 bills. Easy bill removal from front or back of stacker reduces service and maintenance routines.

RL-2 / RL-3

The **RL-2** and **RL-3** rear-load changers have the durability and performance characteristic of all Hamilton products. Both models feature a stainless steel faceplate and a baked enamel carbon steel body with the Hamilton 1000-bill capacity stacker as standard equipment. The **RL-2** is equipped with two hoppers; the **RL-3** has three hoppers with a maximum \$3600 quarter capacity—large enough for any unattended operation.

Changes/Pays

\$1, \$5, \$10, \$20 to QTRS

Maximum Capacity

\$2400/\$3600 QTRS

Dimensions: U.S. & Metric

Cabinet & Minimum Wall Opening:

34-7/8"H, 18-1/4"W, 14-7/16"D

88.6 cm H x 46.4 cm W x 36.8 cm D

Faceplate: 38-3/8"H, 21-3/4"W

97.5 cm H x 55.3 cm W

Features

- Bill Stacker
- 7 gauge carbon steel cabinet, stainless steel front
- Heater and Weathershield (no extra cost)
- Two heavy duty MEDECO plug locks
- Power: 115 VAC 60 Hz
- Weight: 250 lbs./113K

Options

- Separating Stacker
- Token face panel (no extra cost)
- Coin Acceptor
- Audit Pro 2000
(Portable Thermal Report Printer)



SS-1

Front-Load Versatility Stainless Tough

One of Hamilton's most popular changers. This machine features an all stainless cabinet. The **SS-1** also comes with the convenient Hamilton 1000 bill capacity stacker and exclusive direct pay-out hopper.

Changes/Pays

\$1, \$5, \$10, \$20 to QTRS

Maximum Capacity

\$1200 QTRS

Dimensions: U.S. & Metric

Cabinet & Minimum Wall Opening:

25"H, 17-1/4"W, 12-11/16"D

63.8 cm H x 43.8 cm W x 32.3 cm D

Features

- Bill Stacker
- 11 gauge stainless steel
- Heater and Weathershield (no extra cost)
- Two heavy duty MEDECO plug locks
- Power: 115 VAC 60 Hz
- Weight: 130 lbs./59K

Options

- Separating Stacker
- Token face panel (no extra cost)
- Audit Pro 2000
(Portable Thermal Report Printer)



ER-60

Economy Rear-Load Changer

Specifically designed for lower volume locations, the **ER-60** features the same rugged dependability as the entire Hamilton changer line.

Changes/Pays

\$1, \$5, \$10, \$20 to QTRS

Maximum Capacity

\$600 QTRS

Dimensions: U.S. & Metric

Cabinet & Minimum Wall Opening:

20-3/4"H, 15"W, 13"D

52.71 cm H x 38.10 cm W x 33.02 cm D

Faceplate: 24-3/4"H, 18"W

62.87 cm H x 45.72 cm W

Features

- Bulk Load Hopper
- Bill Stacker
- 7 gauge carbon steel cabinet, stainless steel front
- Two heavy duty MEDECO plug locks
- Heater and Weathershield (no extra cost)
- Power: 115 VAC 60 Hz
- Weight: 135 lbs./61Kg

Options

- Separating Stacker
- Token face panel (no extra cost)
- Audit Pro 2000
(Portable Thermal Report Printer)



INSIDE THE HAMILTON CHANGERS



HVX VALIDATOR

New electronics and programs have increased security. Twin scanning heads, photo sensors and escrow data collection improve bill validation and security. The HVX Validator accepts \$1, \$5, \$10, \$20 bills and Tokenote® paper tokens.

C-2000 CONTROLLER

Hamilton's new C-2000 Controller offers users nearly 200 different field selectable payouts. In addition to this increased flexibility, new electronics and programming offer greater reliability in both operation and troubleshooting.



TWO POSITION PIVOT-OUT HOPPER

High capacity pivot-out stainless steel hopper is designed for easy emptying and refilling. It tilts and locks at a partial pivot position for filling. . . Full pivot for easy emptying and cleaning.

The hopper dispenses quarter size coins or tokens (.984 or .901 tokens); with the ability to convert to other sizes. This is an extremely simple, direct pay-out coin dispensing hopper, with only two moving parts; no belts, chains, or hooks.

Single Hopper Capacity

4,800 quarters
9,200 dimes
5,500 nickels

HAMILTON

Hamilton Mfg. Corp.

P.O. Box 963 / 1026 Hamilton Dr. / Holland, Ohio 43528

SERVICE: 800-837-5561 • SALES: 888-723-4858

419-867-4858 • FAX: 419-867-4850

WEBSITE: <http://www.hamiltonmfg.com>

Form: 95-0032

Effective: 2-15-98

FOB: Holland, OH, USA